ELSEVIER

Hearing Research 171 (2002) 198–199

HEARING RESEARCH

www.elsevier.com/locate/heares

Author Index Volume 171

Bitter, K.S., see Koay, G. (171) 96
Boettcher, F.A., see Hamann, I. (171) 82
Burkard, R., see Guo, Y. (171) 158
Burkard, R.F., see Reyes, S.A. (171) 43

Carr, C.E., see Kubke, F. (171) 197
Chéry-Croze, S., see Norena, A. (171) 66
Coad, M.L., see Reyes, S.A. (171) 43
Collet, L., see Norena, A. (171) 66

Delank, K.W., see Pantev, C. (171) 191
Dent, M.L., see Kubke, F. (171) 197
Dooling, R.J., see Kubke, F. (171) 197
Durrant, J.D., see Norena, A. (171) 66

Furuya, N., see Kamemori, M. (171) 103

Galantowicz, P.J., see Reyes, S.A. (171) 43
Gleason, A.T., see Spencer, R.F. (171) 129
Gleich, O., see Hamann, I. (171) 82
Guo, Y. and Burkard, R.
Onset and offset responses from inferior colliculus and auditory cortex to paired noisebursts: inner hair cell loss (171) 158
Guth, P.S.
An explanatory note (171) 196

Hall, D.A., see Hart, H.C. (171) 177
Hamann, I., Gleich, O., Klump, G.M., Kittel, M.C., Boettcher, F.A., Schmiedt, R.A. and Strutz, J.
Behavioral and evoked-potential thresholds in young and old Mongolian gerbils (*Meriones unguiculatus*) (171) 82
Hart, H.C., Palmer, A.R. and Hall, D.A.
Heschl's gyrus is more sensitive to tone level than non-primary auditory cortex (171) 177
Heffner, H.E., see Koay, G. (171) 96, 111
Heffner, R.S., see Koay, G. (171) 96, 111
Henry, K.R., see Lewis, E.R. (171) 13
Hodos, W., see Kubke, F. (171) 197
Hoshijima, H., Makimoto, K., Noi, O., Ohinata, Y. and Takenaka, H.
Effects of nitric oxide synthase inhibitor on cochlear blood flow (171) 32
Hsu, G., see Schwartz, I.R. (171) 1

Jiang, Z.-G., see Si, J.-Q. (171) 167

Kamemori, M., Ohyama, Y., Kurabayashi, M., Takahashi, K., Nagai, R. and Furuya, N.
Expression of Klotho protein in the inner ear (171) 103
Keh, A., see Schwartz, I.R. (171) 1
Kerr, T.P., see Pitovski, D.Z. (171) 51
Kittel, M.C., see Hamann, I. (171) 82
Klump, G.M., see Hamann, I. (171) 82
Koay, G., Bitter, K.S., Heffner, H.E. and Heffner, R.S.
Hearing in American leaf-nosed bats. I: *Phyllostomus hastatus* (171) 96
Koay, G., Heffner, R.S. and Heffner, H.E.
Behavioral audiograms of homozygous med^{J} mutant mice with sodium channel deficiency and unaffected controls (171) 111
Kubke, F., Dent, M.L., Hodos, W., Carr, C.E. and Dooling, R.J.
Erratum to "Nucleus magnocellularis and nucleus laminaris in Belgian Waterslager and normal strain canaries". [Hear. Res. 164 (2002) 19-28] (171) 197
Kurabayashi, M., see Kamemori, M. (171) 103

Lamprecht-Dinnesen, A., see Pantev, C. (171) 191
Lewis, E.R., Henry, K.R. and Yamada, W.M.
Tuning and timing of excitation and inhibition in primary auditory nerve fibers (171) 13
Lockwood, A.H., see Reyes, S.A. (171) 43
Loquet, G. and Rouiller, E.M.
Neural adaptation to pulsatile acoustical stimulation in the cochlear nucleus of the rat (171) 72

Makimoto, K., see Hoshijima, H. (171) 32
May, B.J., Prosen, C.A., Weiss, D. and Vetter, D.
Behavioral investigation of some possible effects of the central olivocochlear pathways in transgenic mice (171) 142
Micheyl, C., see Norena, A. (171) 66

Nagai, R., see Kamemori, M. (171) 103
Noi, O., see Hoshijima, H. (171) 32
Norena, A., Micheyl, C., Durrant, J.D., Chéry-Croze, S. and Collet, L.
Perceptual correlates of neural plasticity related to spontaneous otoacoustic emissions? (171) 66
Nuttall, A.L., see Si, J.-Q. (171) 167

Ohinata, Y., see Hoshijima, H. (171) 32
Ohyama, Y., see Kamemori, M. (171) 103

Palmer, A.R., see Hart, H.C. (171) 177
Pantev, C., Ross, B., Wollbrink, A., Riebandt, M., Delank, K.W., Seifert, E. and Lamprecht-Dinnesen, A.
Acoustically and electrically evoked responses of the human cortex before and after cochlear implantation (171) 191
Pitovski, D.Z. and Kerr, T.P.
Sodium- and potassium-activated ATPase in the mammalian vestibular system (171) 51
Prosen, C.A., see May, B.J. (171) 142

Reyes, S.A., Salvi, R.J., Burkard, R.F., Coad, M.L., Wack, D.S., Galantowicz, P.J. and Lockwood, A.H.
Brain imaging of the effects of lidocaine on tinnitus (171) 43
Riebandt, M., see Pantev, C. (171) 191
Ross, B., see Pantev, C. (171) 191
Rouiller, E.M., see Loquet, G. (171) 72

Salvi, R.J., see Reyes, S.A. (171) 43
Schmiedt, R.A., see Hamann, I. (171) 82

PII: S0378-5955(02)00623-8

ELSEVIER

Hearing Research 171 (2002) 198–199

HEARING RESEARCH

www.elsevier.com/locate/heares

Author Index Volume 171

Bitter, K.S., see Koay, G. (171) 96
Boettcher, F.A., see Hamann, I. (171) 82
Burkard, R., see Guo, Y. (171) 158
Burkard, R.F., see Reyes, S.A. (171) 43

Carr, C.E., see Kubke, F. (171) 197
Chéry-Croze, S., see Norena, A. (171) 66
Coad, M.L., see Reyes, S.A. (171) 43
Collet, L., see Norena, A. (171) 66

Delank, K.W., see Pantev, C. (171) 191
Dent, M.L., see Kubke, F. (171) 197
Dooling, R.J., see Kubke, F. (171) 197
Durrant, J.D., see Norena, A. (171) 66

Furuya, N., see Kamemori, M. (171) 103

Galantowicz, P.J., see Reyes, S.A. (171) 43
Gleason, A.T., see Spencer, R.F. (171) 129
Gleich, O., see Hamann, I. (171) 82
Guo, Y. and Burkard, R.
Onset and offset responses from inferior colliculus and auditory cortex to paired noisebursts: inner hair cell loss (171) 158
Guth, P.S.
An explanatory note (171) 196

Hall, D.A., see Hart, H.C. (171) 177
Hamann, I., Gleich, O., Klump, G.M., Kittel, M.C., Boettcher, F.A., Schmiedt, R.A. and Strutz, J.
Behavioral and evoked-potential thresholds in young and old Mongolian gerbils (*Meriones unguiculatus*) (171) 82
Hart, H.C., Palmer, A.R. and Hall, D.A.
Heschl's gyrus is more sensitive to tone level than non-primary auditory cortex (171) 177
Heffner, H.E., see Koay, G. (171) 96, 111
Heffner, R.S., see Koay, G. (171) 96, 111
Henry, K.R., see Lewis, E.R. (171) 13
Hodos, W., see Kubke, F. (171) 197
Hoshijima, H., Makimoto, K., Noi, O., Ohinata, Y. and Takenaka, H.
Effects of nitric oxide synthase inhibitor on cochlear blood flow (171) 32
Hsu, G., see Schwartz, I.R. (171) 1

Jiang, Z.-G., see Si, J.-Q. (171) 167

Kamemori, M., Ohyama, Y., Kurabayashi, M., Takahashi, K., Nagai, R. and Furuya, N.
Expression of Klotho protein in the inner ear (171) 103
Keh, A., see Schwartz, I.R. (171) 1
Kerr, T.P., see Pitovski, D.Z. (171) 51
Kittel, M.C., see Hamann, I. (171) 82
Klump, G.M., see Hamann, I. (171) 82
Koay, G., Bitter, K.S., Heffner, H.E. and Heffner, R.S.
Hearing in American leaf-nosed bats. I: *Phyllostomus hastatus* (171) 96
Koay, G., Heffner, R.S. and Heffner, H.E.
Behavioral audiograms of homozygous med^{J} mutant mice with sodium channel deficiency and unaffected controls (171) 111
Kubke, F., Dent, M.L., Hodos, W., Carr, C.E. and Dooling, R.J.
Erratum to "Nucleus magnocellularis and nucleus laminaris in Belgian Waterslager and normal strain canaries". [Hear. Res. 164 (2002) 19-28] (171) 197
Kurabayashi, M., see Kamemori, M. (171) 103

Lamprecht-Dinnesen, A., see Pantev, C. (171) 191
Lewis, E.R., Henry, K.R. and Yamada, W.M.
Tuning and timing of excitation and inhibition in primary auditory nerve fibers (171) 13
Lockwood, A.H., see Reyes, S.A. (171) 43
Loquet, G. and Rouiller, E.M.
Neural adaptation to pulsatile acoustical stimulation in the cochlear nucleus of the rat (171) 72

Makimoto, K., see Hoshijima, H. (171) 32
May, B.J., Prosen, C.A., Weiss, D. and Vetter, D.
Behavioral investigation of some possible effects of the central olivocochlear pathways in transgenic mice (171) 142
Micheyl, C., see Norena, A. (171) 66

Nagai, R., see Kamemori, M. (171) 103
Noi, O., see Hoshijima, H. (171) 32
Norena, A., Micheyl, C., Durrant, J.D., Chéry-Croze, S. and Collet, L.
Perceptual correlates of neural plasticity related to spontaneous otoacoustic emissions? (171) 66
Nuttall, A.L., see Si, J.-Q. (171) 167

Ohinata, Y., see Hoshijima, H. (171) 32
Ohyama, Y., see Kamemori, M. (171) 103

Palmer, A.R., see Hart, H.C. (171) 177
Pantev, C., Ross, B., Wollbrink, A., Riebandt, M., Delank, K.W., Seifert, E. and Lamprecht-Dinnesen, A.
Acoustically and electrically evoked responses of the human cortex before and after cochlear implantation (171) 191
Pitovski, D.Z. and Kerr, T.P.
Sodium- and potassium-activated ATPase in the mammalian vestibular system (171) 51
Prosen, C.A., see May, B.J. (171) 142

Reyes, S.A., Salvi, R.J., Burkard, R.F., Coad, M.L., Wack, D.S., Galantowicz, P.J. and Lockwood, A.H.
Brain imaging of the effects of lidocaine on tinnitus (171) 43
Riebandt, M., see Pantev, C. (171) 191
Ross, B., see Pantev, C. (171) 191
Rouiller, E.M., see Loquet, G. (171) 72

Salvi, R.J., see Reyes, S.A. (171) 43
Schmiedt, R.A., see Hamann, I. (171) 82

PII: S0378-5955(02)00623-8

Schwartz, I.R., Keh, A. and Hsu, G.
Morphology, GluR1 and GRIP-C localization differ in octopus cells of C57BL6 and B6Cast mice (171) 1
Seifert, E., see Pantev, C. (171) 191
Shaia, W.T., see Spencer, R.F. (171) 129
Shapiro, S.M., see Spencer, R.F. (171) 129
Si, J.-Q., Zhao, H., Yang, Y., Jiang, Z.-G. and Nuttall, A.L.
Nitric oxide induces hyperpolarization by opening ATP-sensitive K^+ channels in guinea pig spiral modiolar artery (171) 167
Sismanis, A., see Spencer, R.F. (171) 129
Spencer, R.F., Shaia, W.T., Gleason, A.T., Sismanis, A. and Shapiro, S.M.
Changes in calcium-binding protein expression in the auditory brainstem nuclei of the jaundiced Gunn rat (171) 129
Strutz, J., see Hamann, I. (171) 82

Takahashi, K., see Kamemori, M. (171) 103
Takenaka, H., see Hoshijima, H. (171) 32

Vetter, D., see May, B.J. (171) 142
Voie, A.H.
Imaging the intact guinea pig tympanic bulla by orthogonal-plane fluorescence optical sectioning microscopy (171) 119

Wack, D.S., see Reyes, S.A. (171) 43
Weiss, D., see May, B.J. (171) 142
Wollbrink, A., see Pantev, C. (171) 191

Yamada, W.M., see Lewis, E.R. (171) 13
Yang, Y., see Si, J.-Q. (171) 167

Zhao, H., see Si, J.-Q. (171) 167

ELSEVIER

Hearing Research 171 (2002) 200–203

HEARING RESEARCH

www.elsevier.com/locate/heares

Subject Index Volume 171

Acetylcholine receptor knockout
Auditory psychophysics; Olivocochlear efferent feedback (May, B.J. (171) 142)

Adaptation
Tuning; Temporal response; Suppression; Reverse correlation; Frog amphibian papilla (Lewis, E.R. (171) 13)

Cochlear nucleus; Auditory evoked potentials; Rat; Repetitive stimulation (Loquet, G. (171) 72)

Age-related hearing loss
Ionotropic glutamate receptor; Presbycusis (Schwartz, I.R. (171) 1)

Aging
Behavioral threshold; Hearing loss; Presbycusis; Psychoacoustics; Auditory-evoked potential (Hamann, I. (171) 82)

Klotho; Stria vascularis; Nitric oxide; Ion channel (Kamemori, M. (171) 103)

Audiogram
Chiroptera; Echolocation; Evolution; Mammal (Koay, G. (171) 96)

Sodium channel; Med^J; Mutation; Behavioral method; Test reliability (Koay, G. (171) 111)

Auditory cortex
Carboplatin; Inner hair cell loss; Gap detection; Inferior colliculus; Chinchilla (Guo, Y. (171) 158)

Auditory evoked potential
Cochlear implant; Human auditory cortex; Cortical plasticity (Pantev, C. (171) 191)

Auditory evoked potentials
Adaptation; Cochlear nucleus; Rat; Repetitive stimulation (Loquet, G. (171) 72)

Auditory pathway
Tinnitus; Lidocaine; Tomography, emission-computed; Positron emission tomography (Reyes, S.A. (171) 43)

Auditory psychophysics
Acetylcholine receptor knockout; Olivocochlear efferent feedback (May, B.J. (171) 142)

Auditory-evoked potential
Aging; Behavioral threshold; Hearing loss; Presbycusis; Psychoacoustics (Hamann, I. (171) 82)

Behavioral method
Audiogram; Sodium channel; Med^J; Mutation; Test reliability (Koay, G. (171) 111)

Behavioral threshold
Aging; Hearing loss; Presbycusis; Psychoacoustics; Auditory-evoked potential (Hamann, I. (171) 82)

Carboplatin
Inner hair cell loss; Gap detection; Inferior colliculus; Auditory cortex; Chinchilla (Guo, Y. (171) 158)

Chinchilla
Carboplatin; Inner hair cell loss; Gap detection; Inferior colliculus; Auditory cortex (Guo, Y. (171) 158)

Chiroptera
Audiogram; Echolocation; Evolution; Mammal (Koay, G. (171) 96)

Cochlea
Vestibular system; Ossicles; Guinea pig; Imaging; Microwave (Voie, A.H. (171) 119)

Smooth muscle cell; Endothelial cell; Spiral modiolar artery; Membrane potential; Nitric oxide; Potassium channel (Si, J.-Q. (171) 167)

Cochlear blood flow
Cutaneous blood flow; Endothelial nitric oxide synthase; *N*-Nitro-L-arginine-methyl ester; L-Arginine; Spiral modiolar artery; Spiral ligament (Hoshijima, H. (171) 32)

Cochlear implant
Auditory evoked potential; Human auditory cortex; Cortical plasticity (Pantev, C. (171) 191)

Cochlear nucleus
Adaptation; Auditory evoked potentials; Rat; Repetitive stimulation (Loquet, G. (171) 72)

Superior olivary complex; Lateral lemniscus nucleus; Inferior colliculus; Immunohistochemistry; Light microscopy; Electron microscopy; Jaundice; Kernicterus; Hyperbilirubinemia (Spencer, R.F. (171) 129)

Cortex
fMRI; Sound level (Hart, H.C. (171) 177)

Cortical plasticity
Auditory evoked potential; Cochlear implant; Human auditory cortex (Pantev, C. (171) 191)

PII: S0378-5955(02)00624-X

Cutaneous blood flow
Cochlear blood flow; Endothelial nitric oxide synthase; *N*-Nitro-L-arginine-methyl ester; L-Arginine; Spiral modiolar artery; Spiral ligament (Hoshijima, H. (171) 32)

Dark cell
Na; K-ATPase; Hair cell; Ion transport; Sensory epithelium (Pitovski, D.Z. (171) 51)

Echolocation
Audiogram; Chiroptera; Evolution; Mammal (Koay, G. (171) 96)

Electron microscopy
Cochlear nucleus; Superior olivary complex; Lateral lemniscus nucleus; Inferior colliculus; Immunohistochemistry; Light microscopy; Jaundice; Kernicterus; Hyperbilirubinemia (Spencer, R.F. (171) 129)

Endothelial cell
Smooth muscle cell; Spiral modiolar artery; Membrane potential; Nitric oxide; Potassium channel; Cochlea (Si, J.-Q. (171) 167)

Endothelial nitric oxide synthase
Cochlear blood flow; Cutaneous blood flow; *N*-Nitro-L-arginine-methyl ester; L-Arginine; Spiral modiolar artery; Spiral ligament (Hoshijima, H. (171) 32)

Evolution
Audiogram; Chiroptera; Echolocation; Mammal (Koay, G. (171) 96)

fMRI
Sound level; Cortex (Hart, H.C. (171) 177)

Frequency discrimination
Spontaneous otoacoustic emission; Plasticity (Norena, A. (171) 66)

Frog amphibian papilla
Tuning; Temporal response; Adaptation; Suppression; Reverse correlation (Lewis, E.R. (171) 13)

Gap detection
Carboplatin; Inner hair cell loss; Inferior colliculus; Auditory cortex; Chinchilla (Guo, Y. (171) 158)

Guinea pig
Cochlea; Vestibular system; Ossicles; Imaging; Microwave (Voie, A.H. (171) 119)

Hair cell
Na; K-ATPase; Dark cell; Ion transport; Sensory epithelium (Pitovski, D.Z. (171) 51)

Hearing loss
Aging; Behavioral threshold; Presbycusis; Psychoacoustics; Auditory-evoked potential (Hamann, I. (171) 82)

Human auditory cortex
Auditory evoked potential; Cochlear implant; Cortical plasticity (Pantev, C. (171) 191)

Hyperbilirubinemia
Cochlear nucleus; Superior olivary complex; Lateral lemniscus nucleus; Inferior colliculus; Immunohistochemistry; Light microscopy; Electron microscopy; Jaundice; Kernicterus (Spencer, R.F. (171) 129)

Imaging
Cochlea; Vestibular system; Ossicles; Guinea pig; Microwave (Voie, A.H. (171) 119)

Immunohistochemistry
Cochlear nucleus; Superior olivary complex; Lateral lemniscus nucleus; Inferior colliculus; Light microscopy; Electron microscopy; Jaundice; Kernicterus; Hyperbilirubinemia (Spencer, R.F. (171) 129)

Inferior colliculus
Cochlear nucleus; Superior olivary complex; Lateral lemniscus nucleus; Immunohistochemistry; Light microscopy; Electron microscopy; Jaundice; Kernicterus; Hyperbilirubinemia (Spencer, R.F. (171) 129)

Carboplatin; Inner hair cell loss; Gap detection; Auditory cortex; Chinchilla (Guo, Y. (171) 158)

Inner hair cell loss
Carboplatin; Gap detection; Inferior colliculus; Auditory cortex; Chinchilla (Guo, Y. (171) 158)

Ion channel
Klotho; Stria vascularis; Nitric oxide; Aging (Kamemori, M. (171) 103)

Ion transport
Na; K-ATPase; Dark cell; Hair cell; Sensory epithelium (Pitovski, D.Z. (171) 51)

Ionotropic glutamate receptor
Age-related hearing loss; Presbycusis (Schwartz, I.R. (171) 1)

Jaundice
Cochlear nucleus; Superior olivary complex; Lateral lemniscus nucleus; Inferior colliculus; Immunohistochemistry; Light microscopy; Electron microscopy; Kernicterus; Hyperbilirubinemia (Spencer, R.F. (171) 129)

K-ATPase
Na; Dark cell; Hair cell; Ion transport; Sensory epithelium (Pitovski, D.Z. (171) 51)

Kernicterus
Cochlear nucleus; Superior olivary complex; Lateral lemniscus nucleus; Inferior colliculus; Immunohistochemistry; Light microscopy; Electron microscopy; Jaundice; Hyperbilirubinemia (Spencer, R.F. (171) 129)

Klotho
Stria vascularis; Nitric oxide; Ion channel; Aging (Kamemori, M. (171) 103)

L-Arginine
Cochlear blood flow; Cutaneous blood flow; Endothelial nitric oxide synthase; *N*-Nitro-L-arginine-methyl ester; Spiral modiolar artery; Spiral ligament (Hoshijima, H. (171) 32)

Lateral lemniscus nucleus
Cochlear nucleus; Superior olivary complex; Inferior colliculus; Immunohistochemistry; Light microscopy; Electron microscopy; Jaundice; Kernicterus; Hyperbilirubinemia (Spencer, R.F. (171) 129)

Lidocaine
Tinnitus; Tomography, emission-computed; Positron emission tomography; Auditory pathway (Reyes, S.A. (171) 43)

Light microscopy
Cochlear nucleus; Superior olivary complex; Lateral lemniscus nucleus;

Inferior colliculus; Immunohistochemistry; Electron microscopy; Jaundice; Kernicterus; Hyperbilirubinemia (Spencer, R.F. (171) 129)

Mammal
Audiogram; Chiroptera; Echolocation; Evolution (Koay, G. (171) 96)

Med^J
Audiogram; Sodium channel; Mutation; Behavioral method; Test reliability (Koay, G. (171) 111)

Membrane potential
Smooth muscle cell; Endothelial cell; Spiral modiolar artery; Nitric oxide; Potassium channel; Cochlea (Si, J.-Q. (171) 167)

Microwave
Cochlea; Vestibular system; Ossicles; Guinea pig; Imaging (Voie, A.H. (171) 119)

Mutation
Audiogram; Sodium channel; Med^J; Behavioral method; Test reliability (Koay, G. (171) 111)

Na
K-ATPase; Dark cell; Hair cell; Ion transport; Sensory epithelium (Pitovski, D.Z. (171) 51)

Nitric oxide
Klotho; Stria vascularis; Ion channel; Aging (Kamemori, M. (171) 103)

Smooth muscle cell; Endothelial cell; Spiral modiolar artery; Membrane potential; Potassium channel; Cochlea (Si, J.-Q. (171) 167)

N-Nitro-L-arginine-methyl ester
Cochlear blood flow; Cutaneous blood flow; Endothelial nitric oxide synthase; L-Arginine; Spiral modiolar artery; Spiral ligament (Hoshijima, H. (171) 32)

Olivocochlear efferent feedback
Acetylcholine receptor knockout; Auditory psychophysics (May, B.J. (171) 142)

Ossicles
Cochlea; Vestibular system; Guinea pig; Imaging; Microwave (Voie, A.H. (171) 119)

Plasticity
Spontaneous otoacoustic emission; Frequency discrimination (Norena, A. (171) 66)

Positron emission tomography
Tinnitus; Lidocaine; Tomography, emission-computed; Auditory pathway (Reyes, S.A. (171) 43)

Potassium channel
Smooth muscle cell; Endothelial cell; Spiral modiolar artery; Membrane potential; Nitric oxide; Cochlea (Si, J.-Q. (171) 167)

Presbycusis
Age-related hearing loss; Ionotropic glutamate receptor (Schwartz, I.R. (171) 1)

Aging; Behavioral threshold; Hearing loss; Psychoacoustics; Auditory-evoked potential (Hamann, I. (171) 82)

Psychoacoustics
Aging; Behavioral threshold; Hearing loss; Presbycusis; Auditory-evoked potential (Hamann, I. (171) 82)

Rat
Adaptation; Cochlear nucleus; Auditory evoked potentials; Repetitive stimulation (Loquet, G. (171) 72)

Repetitive stimulation
Adaptation; Cochlear nucleus; Auditory evoked potentials; Rat (Loquet, G. (171) 72)

Reverse correlation
Tuning; Temporal response; Adaptation; Suppression; Frog amphibian papilla (Lewis, E.R. (171) 13)

Sensory epithelium
Na; K-ATPase; Dark cell; Hair cell; Ion transport (Pitovski, D.Z. (171) 51)

Smooth muscle cell
Endothelial cell; Spiral modiolar artery; Membrane potential; Nitric oxide; Potassium channel; Cochlea (Si, J.-Q. (171) 167)

Sodium channel
Audiogram; Med^J; Mutation; Behavioral method; Test reliability (Koay, G. (171) 111)

Sound level
fMRI; Cortex (Hart, H.C. (171) 177)

Spiral ligament
Cochlear blood flow; Cutaneous blood flow; Endothelial nitric oxide synthase; *N*-Nitro-L-arginine-methyl ester; L-Arginine; Spiral modiolar artery (Hoshijima, H. (171) 32)

Spiral modiolar artery
Cochlear blood flow; Cutaneous blood flow; Endothelial nitric oxide synthase; *N*-Nitro-L-arginine-methyl ester; L-Arginine; Spiral ligament (Hoshijima, H. (171) 32)

Smooth muscle cell; Endothelial cell; Membrane potential; Nitric oxide; Potassium channel; Cochlea (Si, J.-Q. (171) 167)

Spontaneous otoacoustic emission
Frequency discrimination; Plasticity (Norena, A. (171) 66)

Stria vascularis
Klotho; Nitric oxide; Ion channel; Aging (Kamemori, M. (171) 103)

Superior olivary complex
Cochlear nucleus; Lateral lemniscus nucleus; Inferior colliculus; Immunohistochemistry; Light microscopy; Electron microscopy; Jaundice; Kernicterus; Hyperbilirubinemia (Spencer, R.F. (171) 129)

Suppression
Tuning; Temporal response; Adaptation; Reverse correlation; Frog amphibian papilla (Lewis, E.R. (171) 13)

Temporal response
Tuning; Adaptation; Suppression; Reverse correlation; Frog amphibian papilla (Lewis, E.R. (171) 13)

Test reliability
Audiogram; Sodium channel; Med^J; Mutation; Behavioral method (Koay, G. (171) 111)

Tinnitus
Lidocaine; Tomography, emission-computed; Positron emission tomography; Auditory pathway (Reyes, S.A. (171) 43)

Tomography, emission-computed
Tinnitus; Lidocaine; Positron emission tomography; Auditory pathway (Reyes, S.A. (171) 43)

Tuning
Temporal response; Adaptation; Suppression; Reverse correlation; Frog amphibian papilla (Lewis, E.R. (171) 13)

Vestibular system
Cochlea; Ossicles; Guinea pig; Imaging; Microwave (Voie, A.H. (171) 119)